



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/919,047	07/31/2001	Ramesh Nagarajan	14-11	4255

7590 05/20/2004

Docket Administrator (Room 3J-219)  
Lucent Technologies Inc.  
101 Crawfords Corner Road  
Holmdel, NJ 07733-3030

EXAMINER

CURS, NATHAN M

ART UNIT	PAPER NUMBER
----------	--------------

2633

DATE MAILED: 05/20/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/919,047

Applicant(s)

NAGARAJAN ET AL.

Examiner

Nathan Curs

Art Unit

2633

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 31 July 2001.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-18 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-18 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 31 July 2001 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date <u>4</u> . | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### *Claim Rejections - 35 USC § 102*

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(a) the invention was known or used by others in this country, or patented or described in a printed publication in this or a foreign country, before the invention thereof by the applicant for a patent.

2. Claims 1-7, 9-15, 17 and 18 are rejected under 35 U.S.C. 102(a) as being anticipated by Wei et al. ("Just-in-time signaling for WDM optical burst switching networks"; Wei et al.; Journal of Lightwave Technology, Vol. 18, Issue 12, Dec 2000, Pages 2019-2037).

Regarding claim 1, Wei et al. disclose a method for use in a node of a network during a connection setup between a source node and a destination node, the method comprising the steps of: initiating a cross-connect with an adjacent node; and completing the cross-connect with the adjacent node without waiting for completion of any downstream cross-connects (page 2028, col. 2, line 15 to page 2029, col. 1, line 28).

Regarding claim 2, Wei et al. disclose the method according to claim 1, further comprising the step of sending a connection setup message to the adjacent node before completion of the cross-connect (page 2023, col. 2, lines 2-17).

Regarding claim 3, Wei et al. disclose the method according to claim 1, wherein the network is an optical transport network (page 2019, Abstract).

Regarding claim 4, Wei et al. disclose the method according to claim 3, wherein the cross-connect is selected from the group consisting of an electrical-based cross-connect and a transparent wavelength-based optical cross-connect (page 2021, col. 1, lines 26-48).

Art Unit: 2633

Regarding claim 5, Wei et al. disclose the method according to claim 1, wherein the connection setup is a wavelength-based connection setup (page 2021, col. 1, lines 26-48).

Regarding claim 6, Wei et al. disclose a method for use in a node of a network during a connection setup between a source node and a destination node, the connection setup comprising a forward pass of signaling messages from the source node to the destination node and a reverse pass of signaling messages from the destination node to the source node, the method comprising the steps of: initiating a cross-connect with an adjacent node on the forward pass of the connection setup; and checking if the cross-connect was successful on the reverse pass of the connection setup (page 2028, col. 2, line 15 to page 2029, col. 1, line 28), where the SETUP signal initiates a cross-connect on the forward pass and the CONNECT signal, sent on the reverse pass, confirms the cross-connect was successful.

Regarding claim 7, Wei et al. disclose the method according to claim 6, wherein the forward pass and reverse pass of signaling messages occurs out-of-band (page 2019, col. 2, lines 2-8).

Regarding claim 9, Wei et al. disclose a method for use in a node of a network during a connection setup between a source node and a destination node, the method comprising the steps of: receiving a connection setup message from an upstream node; performing a cross-connect with a downstream node prior to receipt of a signaling message related to a status of at least one cross-connect operation performed at a downstream node (page 2028, col. 2, line 15 to page 2029, col. 1, line 28).

Regarding claim 10, Wei et al. disclose a method for use in a node of a network during a connection setup between a source node and a destination node, the method comprising the steps of: receiving a connection setup message from an upstream node; responsive to the received connection setup message, executing a cross-connect with a downstream node; and

Art Unit: 2633

sending a connection setup message to the downstream node, whereby a cross-connect at the downstream node is initiated (page 2028, col. 2, line 15 to page 2029, col. 1, line 28).

Regarding claim 11, Wei et al. disclose apparatus comprising: a communications interface for providing signaling to a downstream node and for receiving signaling from an upstream node; and a processor, responsive to receipt of a connection setup message from the upstream node, for performing a cross-connect with the downstream node prior to receipt of a signaling message from the downstream node related to a status of at least other cross-connect operation related to the connection setup (page 2028, col. 2, line 15 to page 2029, col. 1, line 28), where the JIT signaling agent is a processor.

Regarding claim 12, Wei et al. disclose the apparatus according to claim 11, wherein the upstream node and the downstream node are in an optical transport network (page 2019, Abstract).

Regarding claim 13, Wei et al. disclose the apparatus according to claim 12, wherein the cross-connect is selected from the group consisting of an electrical-based cross-connect and a transparent wavelength-based optical cross-connect (page 2021, col. 1, lines 26-48).

Regarding claim 14, Wei et al. disclose the apparatus according to claim 11, wherein the connection setup is a wavelength-based connection setup (page 2021, col. 1, lines 26-48).

Regarding claim 15, Wei et al. disclose the apparatus according to claim 11, wherein the signaling occurs out-of-band (page 2019, col. 2, lines 2-8).

Regarding claim 17, Wei et al. disclose apparatus comprising: a communications interface for receiving signaling from an upstream node on a forward pass of a connection setup and receiving signaling from a downstream node on a reverse pass of the connection setup; and a processor for initiating a cross-connect with the downstream node on the forward pass, and for checking if the cross-connect was successful on the reverse pass (page 2028, col. 2,

Art Unit: 2633

line 15 to page 2029, col. 1, line 28), where the JIT signaling agent is a processor, and where the SETUP signal initiates a cross-connect on the forward pass and the CONNECT signal, sent on the reverse pass, confirms the cross-connect was successful.

Regarding claim 18, Wei et al. disclose apparatus comprising: a communications interface for receiving a connection setup message from an upstream node; and a processor for executing a cross-connect with a downstream node and for sending, through the communications interface, a connection setup message to the downstream node, whereby a cross-connect at the downstream node is initiated (page 2028, col. 2, line 15 to page 2029, col. 1, line 28), where the JIT signaling agent is a processor and communications interface.

***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 8 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wei et al. ("Just-in-time signaling for WDM optical burst switching networks"; Wei et al.; Journal of Lightwave Technology, Vol. 18, Issue 12, Dec 2000, Pages 2019-2037) in view of Qiao et al. ("Just-Enough-Time (JET): a high speed protocol for bursty traffic in optical networks"; Qiao et al.; Technologies for a Global Information Infrastructure, 1997 Digest of the IEEE/LEOS Summer Topical Meetings, 11-15 Aug. 1997, Pages 26-27).

Regarding claims 8 and 16, Wei et al. disclose the method and apparatus according to claims 6 and 16, respectively, and disclose forward pass and reverse pass of signaling (page


Art Unit: 2633

2028, col. 2, line 15 to page 2029, col. 1, line 28). Wei et al. also discussing in-band signaling (page 2021, col. 2, lines 11-17 and page 2022, col. 1, lines 9-21), but do not elaborate on in-band signaling in their example of JIT signaling. Qiao et al. disclose an implementation of JIT signaling using in-band signaling (page 26, section 2). It would have been obvious to one of ordinary skill in the art at the time of the invention that the JIT system of Wei et al. could alternately function using in-band signaling, as taught by Qiao et al., in order to provide packet-switching-like JIT signaling, with the traffic burst durations and optical buffers optimally matched to avoid dropped bursts, to provide the advantage of the short setup time achievable when the control information travels with the data on the same wavelength, as taught by Wei et al. (page 2022, col. 1, lines 33-35).

### ***Conclusion***

5. Any inquiry concerning this communication from the examiner should be directed to N. Curs whose telephone number is (703) 305-0370. The examiner can normally be reached M-F (from 9 AM to 5 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jason Chan, can be reached at (703) 305-4729. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-4700.



JASON CHAN  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2600